




992

OMEGA 992 "Power Jet" Fuel Injection Cleaner



"Power Jet" Fuel Injection Cleaner

- *Rapidly cleans injector nozzles to give you "as new" power & acceleration.*
- *Super "Power Jet" action dislodges all contaminants throughout combustion chain.*
- *Effective in both gasoline and diesel engines.*

TRUST OMEGA TO Save Money Enhance Performance Extend Service Life



TW
PERFORMANCE
POLYMERS & FLUIDS®



SPECIAL FEATURES

Omega 992 "Power Jet" Fuel Injection Cleaner is the fuel injection booster that is added to both gasoline (petrol) and diesel-powered vehicles through the fuel tank at fill-up.

- **Omega 992** rapidly cleans injector nozzles to give you "as new" power and acceleration.
- **Omega 992** features a super "Power Jet" action that quickly dislodges contaminants throughout combustion chain to be burnt and ejected through the exhaust.
- **Omega 992** is effective on both gasoline and diesel engines.

OUTSTANDING PROPERTIES

Omega 992 is the "Power Jet" Fuel Injection Cleaner that:


- Helps control vapor lock (water in the fuel system) to prevent hard-starting, rough idle and sluggish throttle response.
- Contains special oxidation inhibitors to protect fuel tank, line, pump and injector from rust and acid attack.
- Is simple to use – easy to apply to fuel tank at fill-up.
- Features a concentrated formula for great economy to use.

USE FOR

Omega 992 Introduced through the fuel tank (for both gasoline and diesel engines), **Omega 992** mixes readily with the fuel to be injected, and flushes clean the pintle tips and rapidly dislodges any gum and coke deposits. Original fuel injector cleanliness is restored and the optimum vaporization pattern is maintained. This action provides precise metering and spray velocity.

Omega 992 users will find that treated engines are easier to start and idle more steadily, offering both clean acceleration and deceleration. Original smooth power is restored.

Use **Omega 992** on fuel-injected gasoline and diesel engines.



Omega

The Ultimate Lubricant

ITW PPFK reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2016 ITW PP & F Korea Limited

The Omega Trade Mark is the property of ITW Inc., and is used under licence by ITW PP & F Korea Limited.



The information contained in this publication is to the best of our knowledge and accurate at the time of issue in October, 2016

DESCRIPTION:

Omega 992 "Power Jet" is a Fuel Injection Booster which is added to both gasoline and diesel cars through the fuel tank at fill-up. It is designed and engineered to restore fuel injector efficiency rapidly so that "as new" performance is attainable. In addition, Omega 992 helps control "vapour lock" (water in the fuel system)

which can cause hard-starting, rough idle and sluggish throttle response.

An added benefit of Omega 992 is that, since the system is introduced through the fuel tank, its special oxidation inhibitors will protect the tank, the fuel line, the fuel pump, the injector itself and also all internal parts of the engine from the onset of rust.

SOAKDOWN:

Although injectors are kept relatively cool during engine operation, the heat "soakdown" on shutting/switching off forms deposits from the fuel on the nozzle itself. These deposits impede and reduce the proper atomization of the fuel flow into the engine cylinder which, in turn, causes loss of power, poor acceleration, rough idling, hard starting and a host of other problems.

(* Heat soakdown occurs because, when an engine is switched off, the oil pump -which circulates engine oil in and round engine parts -also ceases operating; the cooling fan is switched off; and the engine coolant system (radiator) also is no longer operating. Therefore, immediately an engine is switched off, the latent engine heat "soaks" into the engine and, with no cooling aid, the temperature temporarily increases dramatically before dissipating into the ambient atmosphere).

CAUSE OF INJECTOR DEPOSITS:

The principle source of gasoline injector fouling is the fuel composition; the fouling deposits are mainly gums and coke. This fuel composition effect is attributed to olefins and diolefins in the fuel. These form deposits at temperatures between 90-105°C (162-221°F) - the heat soakdown region!!! The problem can occur, even in new cars, within the first 3,000 to 7,000 miles (4,800 to 11,000 km) of operation.


EXISTING FUEL INJECTOR DEFICIENCIES:

Port-type fuel injection has literally taken the automotive world by storm. Current estimates suggest that 90% of new U.S. model cars and 65% of new European models are fitted with fuel injection engines. The Japanese models, due to their export orientation, is adapted to fit different markets, but the trend is unmistakably toward fuel-injected models being in the majority.

Of the types of fuel injectors used, the mechanical type is less prone to injector clogging problems while the most vulnerable is the electronic multipoint injection system.

OMEGA 992 "POWER JET":

At the injector tip, where deposits form in and around the pintle tip (see diagram below), the pressurized flow of Omega 992 "Power Jet" dislodges the deposits and carries these away into the combustion chamber of the engine, to be ignited and burned away -leaving the fuel injector's metering area clean and back within tolerance. By removing the deposits, the vital and precise metering to vaporization is restored and the engine operates "as-new" again.



APPLICATION:

Precise measuring of dosage is possible thanks to the special Omega 992 applicator. Omega 992 comes concentrated and dosage rates are therefore economical.

Economy (Compact) cars with fuel capacity of approx. 8 – 10 gallons (30-38 litres)	½ oz.(15ml.) with every fill-up
Medium-sized cars with fuel capacity of approx. 10-18 gallons (38-70 litres)	1 oz.(30ml.) with every fill-up
Large cars and light trucks with fuel capacity of over 20 gallons (76+ litres)	1 oz. (30ml.) to every 16 gallons (60 Litres)

Omega 992 is effective for both fuel injected gasoline (petrol) and diesel vehicles. (All diesel engines use fuel injection).